Series: Landmark Flex

Model: 2LM2424-V Landmark Flex 32





About This Model

Style: Ranch / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1600

CLIC	IOT:	//IED	CON	ITACT
UUG	וט ו כ	VIEN	GUI	HAGI

Notes:			


Commodore of Indiana | 1902 Century Drive Goshen, IN 46526 | 574-971-3443 | www.commodore-indiana.com

Series: Landmark Flex

Model: 2LM2424-V Landmark Flex 32



Floorplan




CUSTOMER CONTACT	Notes:

Series: Landmark Flex

Model: 2LM2424-V Landmark Flex 32



Floorplan



CUSTOMER CONTACT	Notes:

Series: Landmark Flex

Model: 2LM2424-V Landmark Flex 32



Standards & Features

Interior

Smooth Drywall Throughout Flat Ceiling Throughout

Stipple Ceiling

Coveless Ceiling Joints

8' Sidewall Height

Recessed LED Lighting

Mortise Door Hinges

Metal Interior Passage Sets

Door Stops

White 2 1/4" Door & Door & Window Casing

White 3" Baseboard Moulding

White 2-Panel Doors

Smoke Detectors with Battery Back-Up

Wire Shelving in Guest Closet

Brushed Nickel Interior Hardware & Dighting

Gatsby Light at Front Door Gatsby Light at Rear Door

GFI-Protected Exterior Receptacles at Doors

Vinyl Dutch Lap Siding with Larger Starter Strip to Cover Sill Plate

O.S.B. Sheathing

5/12 Roof with 10" Eaves

40# Roof Load

Architectural Shingles

Ridgevent Roof Ventilation System

3/0x6/8 6-Panel Fiberglass Front and Rear

Door with Deadbolt Lock

Heritage Vinyl Insulated Low-E Argon

Windows with no grids

Exterior (continued)
Raised Panel Shutters on Front Door Side

Omit Appliances - Prep for Refrigerator, Gas Range, & amp; Dishwasher Stainless Steel Range Hood Installed Stainless Steel Double Bowl Sink (33x22x8) One USB Receptacle

Baths

One Piece Fiberglass Tub/Showers Garden Tub/Shower-Master Bathroom

Tub Overflows

Anti-Scald Valves on Showers & Tubs 1.6 Gallon Per Flush Elongated Toilets

China Stool, Tank, and Lid

China Sinks with Overflows and Pop-Up

Drains

Double Lavs

Drawer Bank (each bathroom) Lighted Vent Fan in Each Bath

LED Ceiling Lights

Pencil Edge Mirrors

Cabinetry Hardwood Stiles

3/4 Overlay Hardwood Mission Flat

Panel Cabinet Doors

Evermore Custom Cabinetry

Crown Moulding on Overhead Cabinets

Transitional Cabinet Hardware

42" Overhead Cabinets Lined Overhead Cabinets

CUSTOMER CONTACT	Notes:

Commodore of Indiana | 1902 Century Drive Goshen, IN 46526 | 574-971-3443 | www.commodore-indiana.com

Series: Landmark Flex

Model: 2LM2424-V Landmark Flex 32



Standards & Features (continued)

Cabinetry (continued)
Adjustable Shelves in Overhead Cabinets

Dovetail Drawer Construction

75#Drawer Guides

Base and Center Shelf in Base Cabinets

WilsonArt Laminate Countertops with

Laminate Edging

4" WilsonArt Laminate Backsplash

36" High Vanities

Base Shelf in Vanities

Refrigerator Surround

Washer/Dryer Overhead Cabinets

Utilities

200 AMP Electrical Service

2nd Conduit

Copper Wiring Throughout

Perimeter Boots & Degisters

Deleted:

Furnace

Ceiling Air Return System

Main Heat Trunk

Thermostat Wire

Omit Water Heater

Structured Flow Brushed Nickel Faucets

Main Water Line Shut-Off Valve

Water Shut-Off Valves - Where Accessible

Plumb and Wire for Washer

Wire and Vent for Dryer

Two Exterior Water Faucets

Recessed Dryer Box (where applicable)

Insulation

R-19 Fiberglass Insulation in Walls R-38 Avg. Blown Insulation in Ceiling

SHAW 15 oz. Carpet w/ ShawGuard

Carpet Protector

Rebond Carpet Pad with Tackstrip

Carpet Installation

No-Wax Vinyl Floor Coverings

Entry Foyer Vinyl Flooring

Bedrooms

Recessed LED Lights

Egress Window in Each Bedroom

Wire Shelving in Wardrobes

4" LED Light in All Walk-In Closets

Construction

2x10 Floor Joists 16" on Center

2x6 Exterior Walls 16" on Center

2x4 Interior Walls

40# Roof Load

Available Options

&bull: Basement Stairwell &ndash: Standard location only

• Shake It Up Carpet

• Lino per room in place of carpet

• Matching Vinyl Transition Strip

• Luxury Vinyl Plank shipped loose only

• 40 or 50 Gallon electric hot water heater

• Heating package (Furnace, return air (Optional trunk

lines available) (Gas and Electric)

• Prep for On-site furnace installation

• Prep for On-site Water Heater installation

CUSTOMER CONTACT	Notes:

Series: Landmark Flex

Model: 2LM2424-V Landmark Flex 32



Standards & Features (continued)

Available Options (continued)

• Ship loose duct material for Furnace

• Heat Ducts Installed • Additional LED Can Lights • Wire and Switch for Fan

• Ceiling Fan

• Wire for Electric Range • Extra Exterior Recept

• All Optional Cabinet Color Choices (White Painted,

Shadow Grey Painted, Deep Blue Painted)

• 60x32 Fiberglass Shower IPO standard Garden Tub

Master Bath or ipo Tub/Shower Bath 2

• Upgrade Insulation – Sidewall and Ceiling

• 4 Lite White Exterior Door IPO standard

• 2 Panel ½ Glass with Internal Blinds IPO

standard

• Fire Door White IPO standard

• Full View Door with Internal Blinds ipo window

• Vinyl Sliding Glass Door

• Extra Shutters

• Optional Lineal ipo shutters and Extra Lineal

• Market Square siding

• 5/12 Roof Pitch 50# and 70# (70# requires 16 o.c.)

• Double Close Up Plastic

• Pearl Appliance package (Gas or Electric)

• SS Over the Range Microwave • Prep for Microwave over range

• Additional 18 cu ft Black Refer with Ice for Back Kitchen • Additional 20 cu ft Top Freezer Stainless Steel Refer

with Ice for Back Kitchen

• Wine/Beverage Cooler for Entertainer Option

Available Options (continued)

• Drape Package A • All state required codes

CLICT	ONIED	CONT	$\Gamma\Lambda$
6091	OMER	CUN	IAU

Commodore of Indiana | 1902 Century Drive Goshen, IN 46526 | 574-971-3443 | www.commodore-indiana.com